


**LABORATORY GROWN DIAMOND IDENTIFICATION REPORT**
**NUMBER** LG395946901      October 22, 2019

**DESCRIPTION** LABORATORY GROWN DIAMOND

**SHAPE AND CUT** OVAL BRILLIANT

**CARAT WEIGHT** **0.44 CARAT**
**Measurements** 6.13 x 4.53 x 2.57 mm

**CLARITY GRADE** **VS 1**
**COLOR GRADE** **F**
**Fluorescence** NONE

**FINISH**

 Polish - Symmetry **VERY GOOD**

 Proportions **VERY GOOD**

Table Size 60.5%

Crown Height 12%

Pavilion Depth 41.5%

 Girdle Thickness **THIN TO SLIGHTLY THICK (FACETED)**

 Culet **POINTED**

Total Depth 56.7%

**COMMENTS** This Laboratory grown diamond was created by high pressure high temperature process (HPHT) Type II

**LASERSCRIBE** LABGROWN IGI LG395946901

**CLARITY SCALE**

FLAWLESS/ INTERNALLY FLAWLESS	VERY VERY SLIGHTLY INCLUDED		VERY SLIGHTLY INCLUDED		SLIGHTLY INCLUDED		INCLUDED		
	VVS <sub>1</sub>	VVS <sub>2</sub>	VS <sub>1</sub>	VS <sub>2</sub>	SI <sub>1</sub>	SI <sub>2</sub>	I <sub>1</sub>	I <sub>2</sub>	I <sub>3</sub>

**COLOR SCALE**

COLORLESS			NEAR COLORLESS			SLIGHTLY TINTED		VERY LIGHT				LIGHT					FANCY COLOR					
D	E	F	G	H	I	J	K	L	M	N	O	P	Q	R	S	T		U	V	W	X	Y

The laboratory grown diamond described in this report has been graded, tested, analyzed, examined and/or inscribed by International Gemological Institute (IGI). Laboratory grown diamonds are diamond crystals created by scientific means and representing essentially all physical, chemical and optical characteristics of natural diamonds. IGI employs and utilizes those techniques and equipment currently available to IGI including without limitations: DiamondView, DiamondSure, FTIR spectroscopy, UV VIS NIR absorption spectrometer, EDXRF spectroscopy, PL (RAMAN) spectrometers.

0m Security features included in this document are hologram, watermarked paper and additional features not listed, that, as a composite, exceed industry security standards.



See terms  
and conditions on reverse